

FIBRAMULCH

Performance Plus

Specification Guide
Fibramulch Hydroseeding Mulch

Section 02934

PART 2 — PRODUCTS

2.1 Materials

.1 Mulch

FIBRAMULCH as manufactured by Can-Cell Industries Inc., H.O. 14715 - 114 Avenue, Edmonton, Alberta T5M 2Y8 **Ph: (780) 447-1255 Fax: (780) 447-1034**
Other Sales & Service Locations:

Langley	BC	(604) 513-8830
Kelowna	BC	(250) 861-5212
Prince George	BC	(250) 564-9666
Nanaimo	BC	(250) 754-2943
Grande Prairie	AB	(780) 538-2202
Calgary	AB	(403) 275-4133
Saskatoon	SK	(306) 934-0033
Winnipeg	MB	(204) 233-8526

- .2 **FIBRAMULCH** shall be wood based cellulose fibre free of weeds and growth or germination inhibiting ingredients.

Technical Data:

Product Characteristics: Nominal Value (Dry Material)

Organic Matter (Fibrous Mulch) = 95%

Inorganic Matter (Minerals) = 5%

Water Absorption Potential = 800-900%

Slurry Acidity/Alkalinity = PH 6-7

Moisture Content (Packaged Product) = 15-20%

2.2 Tackifier

- .1 **FIBRATAACK** as supplied by CAN-CELL Industries Inc. Material shall be a natural, bio-degradable powder made from endosperm of non-toxic vegetable seeds.

* MSDS available from manufacturer on request.

...continued



We believe the information given here will be helpful. It is based on data and knowledge considered to be true and accurate and is offered for the user's consideration, investigation and verification but we do not warrant the results to be obtained. Please read all statements, recommendations or suggestions in conjunction without conditions of sale which apply to all goods supplied by us. No statement, recommendation or suggestion is intended for any use which would infringe any patents or copyright.
CAN-CELL Industries Inc., 14715 - 114 Avenue, Edmonton, AB T5M 2Y8